

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 December 2000 (07.12.2000)

PCT

(10) International Publication Number
WO 00/73149 A1

(51) International Patent Classification⁷: **B65B 9/20**
(21) International Application Number: PCT/GB00/02098
(22) International Filing Date: 1 June 2000 (01.06.2000)
(25) Filing Language: English
(26) Publication Language: English
(30) Priority Data:
9912719.3 1 June 1999 (01.06.1999) GB
(71) Applicant and
(72) Inventor: LAITT, Andrew [GB/GB]; 22 Dempster Road,
London SW18 1AT (GB).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


(74) Agent: DEVONS, David, Jon; Marks & Clerk, 57-60 Lincoln's Inn Fields, London WC2A 3LS (GB).

Published:

— With international search report.

[Continued on next page]

(54) Title: A METHOD OF PACKAGING GOODS



(57) Abstract: A method of packaging goods comprises the steps of forming a tube (1'), forming a first seal (3) at a lower end of the tube (1'), feeding a pre-determined amount of the goods to be packaged (204) into the tube (1'), forming a second seal in the tube (1') at a pre-determined distance above the first seal (3), repeating the steps of feeding the goods and sealing along the tube (1') to form a strip of sealed pouches (7) containing the goods (204) and inserting the strip of sealed pouches (7) into a carton (8).

WO 00/73149 A1



- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

A Method Of Packaging Goods

The present invention relates to a method of packaging goods, in particular packaging food-stuffs which remain fresh for a limited period only, such as breakfast cereals, crisps, biscuits and ground coffee.

Conventionally, food products such as breakfast cereals and the like are packaged in cartons which contain a sealed bag for holding a quantity of the breakfast cereal, usually in quantities of 125g to 1000g. Once the carton is opened and the factory seal of the bag is broken, the contents become stale and soft within a few weeks, or even sooner. Once stale the enjoyment of the crisp and fresh taste of the newly opened packet is lost. One solution to this is to supply individual 25g or 30g portion packs or any other suitable size of portion pack that may be desired. Portion packs comprise a bag containing an individual portion within an individual carton. This form of packaging is comparatively expensive compared with the larger cartons.

Furthermore, food products, in particular cereal flakes, at the bottom of the sealed bag tend to break or be crushed during filling of the bag and during transit, so that the last few portions of cereal in the bag become powder-like. This powder-like cereal is unattractive to consumers, so that consumers often discard the last few portions of cereal containing the powder-like cereal, thus resulting in wastage.

An object of the present invention is to overcome the above disadvantages.

The advantage of the present invention is that it provides a method of manufacturing packaging, which gives consumers the benefit of enjoying the fresh, crisp taste of a newly opened packet every time they consume the product. The invention also provides a method of manufacturing packaging which is relatively inexpensive yet provides the

taste and freshness benefits of an individual portion pack. Furthermore, the invention provides a method of manufacturing packaging in which the contents of the packaging remain substantially unbroken until consumption.

The invention provides a method of packaging goods as claimed in Claim 1.

The strip of sealed pouches may be arranged substantially upright or transversely in the carton. Preferably, the strip of sealed pouches is arranged in a concertina or zigzag configuration in the carton.

In providing a strip of sealed pouches, a standard serving portion of a food product, for example breakfast cereal, of typically 25g or 30g, is provided and therefore the crisp and fresh taste of a newly opened packet can be enjoyed every time the cereal is consumed since breaking the seal of one pouch does not affect the integrity of the remaining pouches in the strip.

The packaged goods made according to the present invention provide a less expensive means of providing individual portions of a food product than that of the previously mentioned portion packs. Since the food product contained within a pouch remains fresh, there is little wastage of stale food products and the product has an extended shelf life. It also avoids the time difficulty in trying to carefully re-seal and close the carton in order to maintain integrity of the food product once the carton has been opened. It also provides a more hygienic method of serving food other than of sharing a large carton. Furthermore, it avoids the problem of attracting pests such as ants and mice to an open packet of food. Furthermore, providing individual portions of the food product makes it easier for calorie control and portion control for dieters. Packaging the food in individual pouches also reduces the risk of damage to particularly brittle food-stuffs, such as crisp cereal flakes, since the packaging and layer of air within each pouch and between each pouch has a cushioning effect, thus reducing the likelihood of breakage.

The method of packaging goods according to the present invention provides a relatively low cost of manufacture since the strip of pouches can easily be folded concertina-fashion into a typical existing carton which avoids the need to re-tool carton making machines. The method utilises established and proven materials. Further, the cartons can be varied in width, height and depth to provide different sizes giving a large shelf presence in retail outlets for promotional purposes etc. The method provides for different pack sizes to be produced on one machine, for example 8 pouches, 10, 16 or 20 pouch packets.

Furthermore, the method of packaging goods according to the present invention provides the option of combining different food products in a single carton.

Preferred embodiments of the present invention will now be described with reference to the accompanying drawings, wherein:

Figure 1 shows in a diagrammatic perspective view an initial step of forming a tube;

Figure 2 shows in a view similar to Figure 1 the steps of filling, sealing and perforating pouches formed in the tube;

Figure 3 shows in an enlarged perspective view the combined pouch perforating and severing tool of Figure 2;

Figure 4 shows a strip of pouches arranged in a zigzag manner across the width of the carton;

Figure 5 shows two strips of pouches arranged in a zigzag manner across the depth of the carton;

Figure 6 shows two strips of pouches arranged in a zigzag manner across the width of the carton;

Figure 7 shows the strip of pouches of Figure 5 joined side by side;

Figure 8 shows a strip of pouches arranged in a zigzag manner along the height of the carton;

Figure 9 shows two strips of pouches arranged in a zigzag manner along the height of the carton and

Figure 10 shows two strips of pouches arranged substantially vertically in the carton.

In Figure 1 a sheet of plastics material 1 is wrapped around a cylindrical former 200 so that two longitudinal edges 201 of the plastics material overlap to form a tube 1¹. Although Figure 1 shows a tube of circular cross-section, the tube may have any other suitable cross-section such as a square or rectangular cross-section. The overlapping longitudinal edges 201 are then heat-sealed by means of a heated seam former 202 to form a central longitudinal seam 2. The base of the tube 1¹ is then sealed by means of heated sealing jaws 203 (See Figure 2). Two heated sealing jaws 203 move from opposite sides of the tube 1¹ towards the centre of the tube until they both contact the plastics material of the tube 1¹. A seal 3, which is transverse to and overlaps the longitudinal seam 2, is thus formed. At the same time as the sealing jaws 203 are moving towards the centre of the tube, opposed pleat formers (not shown) move in a transverse direction to the sealing jaws 203 (in the direction of the arrows 4¹), also towards the centre of the tube 1¹. The pleat formers provide tucks in the side of the tube 1¹ so as to form diametrically-opposed pleats 4. The tube 1¹ is then filled with food-stuff 204 to be packaged. The food-stuff 204 is simply dropped into the tube 1¹ from above. As the food-stuff 204 is being dropped into the tube 1¹, the tube 1¹ is moved downwards with respect to the sealing jaws 203 and when the desired quantity of the food-stuff 204 has been dropped into the tube 1¹, the sealing jaws 203 and pleat formers move once again towards the centre of the tube 1¹ to simultaneously seal the tube 1¹ and form tucks at a pre-determined distance from the sealed base so as to form a "brick-shaped" pouch 5. This "brick-shaped" form is particularly space-efficient. The further seal 3 will commonly form the top seal of the pouch 5 and the base seal of a second pouch 5a. The volume of air in each pouch is determined by the pouch dimensions, which are calculated so as to be sufficient for the pouch to contain the desired quantity of food-stuff, as well as a quantity of air to protect the food-stuff. This is particularly important for delicate food-stuffs, such as cereal flakes.

The main bodies of the pouches 5 and 5a are substantially rectangular in cross-section. The pouches 5 and 5a are substantially the same size as one another. To allow separation of the pouches 5 and 5a at a later stage perforations 6 are made in the common seal 3. The perforations 6 are introduced into the common seal by means of a

comb-type cutter 205, which is located in one of the sealing jaws 203. The comb-type cutter 205 is illustrated in greater detail in Figure 3.

Once the sealing jaws 203 have formed the common seal 3, the comb-type cutter 205 moves from a retracted position in the sealing jaw 203 until it meets and pierces the common seal 3 at intervals across its width. The intervals between the perforations are determined by the spacing of teeth 206 of the comb-type cutter 205. The comb-type cutter 205 then retracts to its rest position until sealing next takes place. When a desired number of pouches has been filled and sealed to form a strip 7, for example 10 pouches, the step of forming perforations 6 in the common seal 3 is replaced by a cutting step. The comb-type cutter 205 will also be used in the cutting step. As before, the comb-type cutter will move from its retracted position in the sealing jaw 203, but instead of merely piercing the common seal 3, the comb-type cutter 205 pierces right through the common seal 3 until cutting edges 207 meet the common seal 3 and two adjacent pouches are completely severed from one another. The lower of the adjacent pouches is still attached to the strip 7 of filled and sealed pouches while the upper of the adjacent pouches forms a base for a further strip of pouches.

The dimensions of the seal 3 should be such that the "brick-shaped" air-filled cushioned pouches are sealed effectively and that the strip 7 of "brick-shaped" pouches may also be folded for storage in a space-efficient and cost-efficient manner.

The strip of filled and sealed pouches 7 is then inserted into a carton 8, as shown for example in Figure 4, where the strip of pouches is arranged in a concertina or zigzag manner across the width of the carton 8 in layers, each layer having two pouches. This arrangement of the pouches in the carton 8 serves to protect the food-stuff inside the pouches against crushing by food-stuff in adjacent pouches. Alternative arrangements of the pouches are shown in Figures 5 to 10. These arrangements also serve to protect the food-stuff in the pouches, in particular against crushing. In Figure 5, for example, two strips of pouches are arranged parallel to one another and in a zigzag manner across the depth (into the page) of the carton 8 in layers, each layer having only one pouch.

Figure 6 shows two strips of pouches arranged in a zigzag manner across the width of the carton 8 in layers, each layer having only one pouch.

Figure 7 shows a similar arrangement with a double strip 9 of pouches arranged in a zigzag manner across the depth of the carton 8. The double strip 9 of pouches is formed by dividing the tube 1¹ to form two sub-tubes (not shown) attached to one another by means of a series of central joining seams 10. The two sub-tubes are then sealed and filled in a similar manner to that described with reference to Figures 2 and 3. The central joining seams 10 are arranged parallel to and are attached to a surface 11 of each pouch. The two joined strips are separable from one another by way of perforations 12 in the central joining seams 10. The perforations 12 run substantially centrally along the length of the central joining seams 10.

Figure 8 shows a single strip of pouches arranged in a zigzag manner along the height of the carton 8 in layers, each layer having two pouches. Figure 9 shows a two strips of pouches arranged along the height of the carton 8 in layers, each layer of each strip having two pouches.

Figure 10 shows a further embodiment of the invention, in which the main bodies of the pouches 5 and 5a are substantially square in cross-section, and two separate strips of pouches are arranged parallel to one another and substantially vertically in the carton 8.

A single carton 8 might also contain several strips in which the size of the pouches in the respective strips is not the same. For example, a single carton might contain strips containing small pouches for children as well as strips of larger pouches for adults.

It will be appreciated that variations of the embodiments described above are also possible. For example, in the sealing step of the manufacturing process may use adhesive as a sealing means as an alternative to heat. The tube 1¹ might be formed of waxed paper, rather than plastics.



Printed matter may be applied to each pouch prior to filling each pouch with the food-stuff, e.g. information relating to the food and calorie contents, the sell-by date etc.

Claims:

1. A method of packaging goods comprising the steps of forming a tube, forming a first seal at a lower end of the tube, feeding a pre-determined amount of the goods to be packaged into the tube, forming a second seal in the tube at a pre-determined distance above the first seal, repeating the steps of feeding the goods and sealing along the tube to form a strip of sealed pouches containing the goods, inserting the strip of sealed pouches into a carton.
2. A method as claimed in Claim 1, wherein the strip of sealed pouches is arranged substantially upright or transverse in the carton.
3. A method as claimed in Claim 1, wherein the strip of sealed pouches is arranged in a concertina configuration in the carton.
4. A method as claimed in Claim 2 or 3, wherein at least two strips of sealed pouches are arranged in the carton.
5. A method as claimed in Claim 4, wherein the at least two strips of sealed pouches are arranged parallel to one another in the carton.
6. A method as claimed in Claim 4 or Claim 5, wherein the at least two strips of sealed pouches are releasably attached to one another.
7. A method as claimed in any one of the preceding claims, wherein at least one pleat is formed in the tube so that the pouches are expandable.
8. A method as claimed in Claim 7, wherein the at least one pleat is formed in each pouch after the lower end of each pouch is sealed but before the goods are fed into the pouch.

9. A method as claimed in any one of the preceding claims, wherein the pouches in the or each strip are substantially the same size.
10. A method as claimed in any one of the preceding claims, wherein each pouch is substantially cuboidal in shape.
11. A method as claimed in Claim 10, wherein each pouch is substantially cubic in shape.
12. A method as claimed in any one of the preceding claims, wherein the sealing is by means of heat.
13. A method as claimed in any one of the preceding claims, wherein the sealing is by means of an adhesive.
14. A method as claimed in any one of the preceding claims, wherein the tube is formed of plastics material.
15. A method as claimed in any one of Claims 1 to 13, wherein the tube is formed of waxed paper.
16. A method as claimed in any one of the preceding claims, wherein printed matter is applied to each pouch of the strip of pouches.
17. A method as claimed in any one of the preceding claims, wherein perforations are formed between each pouch of the strip of pouches to enable separation of the pouches from one another.
18. A method as claimed in Claim 17, wherein the perforations are formed by means of a comb-type cutter.

19. A method as claimed in Claim 18, wherein the comb-type cutter has means for severing the pouches from one another.
20. A method as claimed in Claim 19, wherein the pouches are severed from one another after a pre-determined number of pouches has been filled and sealed.
21. A method of packaging goods substantially as herein described with reference to any one of the embodiments shown in the accompanying drawings.
22. Packaged goods produced by the method as claimed in any one of the preceding claims.






Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GB 00/02098

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 B65B9/20

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 B65B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X A Y	FR 2 658 785 A (SZILAGYI) 30 August 1991 (1991-08-30) the whole document	1, 3, 12, 22 20 7-11, 13-18
A Y	FR 2 646 140 A (ROUVRAIS) 26 October 1990 (1990-10-26) the whole document	1 14
Y	US 4 442 656 A (WYLIE) 17 April 1984 (1984-04-17) the whole document	7-11
Y	US 4 045 946 A (SCHAEFER) 6 September 1977 (1977-09-06) column 6, paragraph 4 -column 7, paragraph 2; figures 7,8	13
	-/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

31 August 2000

Date of mailing of the international search report

03 10. 2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Claeys, H

INTERNATIONAL SEARCH REPORT

Int'l Application No
PCT/GB 00/02098

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5 220 771 A (BURNS) 22 June 1993 (1993-06-22) column 1, paragraph 2 ----	15
Y	US 4 018 029 A (HAYSEN) 19 April 1977 (1977-04-19) abstract column 3, paragraph 4 -column 5, paragraph 3; figures 3-6 ----	16
Y	WO 95 21092 A (WATKINS) 10 August 1995 (1995-08-10) page 7, paragraph 2 -page 9, paragraph 1; figures 1-3 ----	17,18
A	US 4 793 118 A (FERAG) 27 December 1988 (1988-12-27) abstract -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 00/02098

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
FR 2658785	A	30-08-1991	NONE	
FR 2646140	A	26-10-1990	NONE	
US 4442656	A	17-04-1984	NONE	
US 4045946	A	06-09-1977	US 3982374 A	28-09-1976
			CA 1052333 A	10-04-1979
			DE 2529024 A	22-01-1976
			FR 2276987 A	30-01-1976
			GB 1506036 A	05-04-1978
			IT 1040768 B	20-12-1979
			JP 51056392 A	18-05-1976
US 5220771	A	22-06-1993	NONE	
US 4018029	A	19-04-1977	DE 2645299 A	14-04-1977
			GB 1534742 A	06-12-1978
			IT 1089951 B	18-06-1985
WO 9521092	A	10-08-1995	AT 175164 T	15-01-1999
			AU 1542495 A	21-08-1995
			CA 2182189 A	10-08-1995
			DE 69507015 D	11-02-1999
			DE 69507015 T	15-07-1999
			EP 0749388 A	27-12-1996
			JP 9511201 T	11-11-1997
			US 5937614 A	17-08-1999
US 4793118	A	27-12-1988	CH 671003 A	31-07-1989
			DE 3786499 A	19-08-1993
			EP 0253960 A	27-01-1988
			JP 2681049 B	19-11-1997
			JP 63037084 A	17-02-1988